

# India's first\* gas powered genset from Mahindra Powerol



Range:  
10kVA to  
125kVA  
Gas Genset



## ABOUT POWEROL


In 2001, Mahindra and Mahindra entered into the field of power generation through its engines under the brand name Mahindra Powerol that are propelling Diesel Generating Sets from 5kVA to 625kVA. Mahindra Powerol, known for its fuel efficiency and quick customer response is trusted by telecom & retail customers.

Within short span of time, Mahindra Powerol has garnered immense customer trust which shows its level of commitment and customer centric approach. Presently, its more than 400,000 gensets are powering different industries and applications in Indian and overseas market. Mahindra Powerol through its technology & service has taken a deep stride in the engine and genset industry. In a little over a decade, it has also expanded its footprint in South East Asia, Middle East and Africa.

### Gas Power Solutions

Mahindra, with its core engineering strengths and its commitment to contribute towards cleaner environment, has developed India's first ever gas powered genset compliant to CPCBII norms.

### Lowest operating cost




\*Actual saving depends on present market prices of HSD and NG

### Benefits of Mahindra Powerol Gas Genset

- Low operating cost
- Zero fuel handling
- Low noise level
- Environment friendly
- Zero pilferage

### Technology



Water Cooled Turbocharger for maximum power output



Dump valve for improved Block loading



## Technical Specifications

Genset Specification						
Genset Rating (kVA)	10	15	20	25	100	125
Duty (Standby/Prime)	Prime	Prime	Prime	Prime	Prime	Prime
Power Rating @ 100% kWe (in KW)	8.4	12	16	20	80	100
No. of Phases	1 Ph / 3 Ph	1 Ph / 3 Ph	1 Ph / 3 Ph	1 Ph / 3 Ph	3 Ph	3 Ph
Output Voltage (V)	230/415	230/415	230/415	230/415	415V	415V
Power Factor (lagging)	0.8	0.8	0.8	0.8	0.8	0.8
Current (A)	45.6/14.6	65.2/20.9	87/27.8	108.7/34.8	139	174
Frequency (Hz) & RPM	50/1500	50/1500	50/1500	50/1500	50/1500	50/1500
Governing Class	G2 as per ISO 8528 part 5					
Genset Dimensions (L x W x H) in mm	1875 X 1000 X 1195	1875 X 1000 X 1195	2050 X 1100 X 1255	2050 X 1100 X 1255	3750 x 1300 x 1700	3750 x 1300 x 1700
Genset weight (kg)	720	765	848	856	2210	2250
Engine Specification						
Make	Mahindra	Mahindra	Mahindra	Mahindra	Mahindra	Mahindra
Model	mGreen3235NGC4+	mGreen3235NGC4+	mGreen4335NG	mGreen4335NG	mPower61565GC	mPower61565GC
Rated Power (HP)	23	23	34	34	156	156
Aspiration	NA	NA	NA	NA	TCI	TCI
No. of cylinders	3	3	4	4	6	6
Bore x Stroke (mm)	88.9 X 110	88.9 X 110	88.9 x 101.6	88.9 x 101.6	105 x 137	105 x 137
Displacement (Ltr)	2.05	2.05	2.5	2.5	7.2	7.2
Fuel Consumption @ 75% Load (kg/hr) **	2.0	2.4	3.6	4	14.3	17.1
Fuel Consumption @ 75% Load (SCMH)**	2.6	3.2	4.7	5.3	18.9	22.5
Fuel Consumption @ 100% Load (kg/hr) **	2.3	3.1	4.4	5	17.8	21.5
Fuel Consumption @ 100% Load (SCMH)**	3.0	4.1	5.8	6.6	23.5	28.3
Starting System	12 V DC Electrical	12 V DC Electrical	12 V DC Electrical	12 V DC Electrical	24 V DC Electrical	24 V DC Electrical
Lube Oil Specification	Maximile CNG Plus	Maximile CNG Plus	Maximile CNG Plus	Maximile CNG Plus	Maximile CNG Plus	Maximile CNG Plus
Total Lubrication System Capacity (Ltr)	6.5	6.5	7	7	20.2	20.2
Lube Oil Consumption @ Full Load <sup>5</sup>	0.15% of Fuel consumption					
Lube Oil Change Period (hrs.)	1000	1000	1000	1000	500	500
Radiator Coolant Capacity (liter)	5.5	5.5	10	10	24	24
Alternator						
Make	CG/LS	CG/LS	CG/LS	CG/LS	CG/LS	CG/LS
Enclosure Type	IP 23					
Voltage Regulation	+/- 1% with 4% engine Governing					
Class of Insulation	Class H					
Maximum Unbalanced Load across Phases	25%					


Above specifications are subject to changed without notice due to continuous technical development

# A tolerance of +/- 5% will applicable on declared power values


^ A tolerance of +5% shall be applicable on fuel consumption values on account of product to product variation due to engine & +3% of tolerance due to alternator product to product variations

Gas Density : 0.75 Kg/m<sup>3</sup>


## Certified NG Fuel System components



Zero Pressure regulator



Fuel Control Valve



High Tension Ignition Coil



Gas Air Mixer



## World Class Manufacturing



Mahindra engines are manufactured at the state-of-the art facilities located in Chakan near Pune & Nagpur.

These manufacturing facilities are equipped with:

- Fully automated, controlled environment engine assembly
- Conforms to latest certifications and quality standards
- Quality control systems to maintain highest level of engine quality standards

### Engineering Capabilities and Facilities:

- Dedicated R&D set-up at Mahindra Reserch Valley (MRV) Chennai
- New rating developments
- In-house engine and genset design capability
- Modern equipments & software for design development and upgradation of engines, acoustic enclosure systems and control.
- Test cells for R&D testing.

### Peace of mind service

Powerol sales & service touch points are available across the length & breadth of our country to provide Installation, Commissioning and after sales support. Over 2000 trained technicians are available at these centres for providing doorstep service. All the outlets are well equipped with the necessary spares. So wherever you are, we are always near to you.

### Support is just a call away

Our customer care centre is equipped with the latest software for monitoring & time bound escalation till closure of the complaints. To make it simpler for our customers, a common Toll free no. is available for both sales and service support.



#### Corporate Office

B -1202, Titanium Business Park,  
Nr. Sammet Platinum Makarba,  
Ahmedabad - 380051 Gujarat

Office No. 34, Kalpataru Avenue,  
Opp. ESIS Hospital, Kandivali (East),  
Mumbai, Maharashtra - 400101

#### Manufacturing Plant

Survey no.306 / 307/P, Vangariya  
Pariya Road, Dungri (Dashwada Gam),  
Tal: Killa-Pardi, Valsad - 396145



Toll Free No.  
1800 889 9130



enquiry@gangadharindtree.com



gangadharindtree.com